Declaration of Performance

01. Product Range: Composite Decking
02. Product Type: Standard (Hollow)

03. Product Material: Composite Plastic
04. Unique Identification: Standard Composite Decking **(Paving Stones Direct)**
05. Intended Use: Domestic and Commercial. Suitable for outdoors only.

06. Manufacturer: Paving Stones Direct UK Ltd
07. Importer: Paving Stones Direct UK Ltd
08. Name or registered trademark, and contact address of the manufacturer: Paving Stones Direct UK Ltd

09. Authorised Representative: Thomas Raisbeck
10. Harmonised Standard: EN 15534

11. Notified Body: N/A

12. Declared Performance:

Essential Characteristic	Performance	Verdict	Harmonised Technical Specification EN 15534
Anti-slip Properties	Sample 1: 25.8 Sample 2: 25.3	**Pass**	DIN 51097: 1992
Boiling Resistance	L:0.19% l:0.35% e:1.95% Mass:22.2%	**Pass**	EN 15534-1:2014
Resistance to Impact	Falling Impact - No Crack Avg Depth of Indent: 0.32mm Max Depth of Indent: 0.44mm	**Pass**	EN 15534-1:2014
Density	Avg. Density - 1290kg/m3	**N/A**	EN ISO 1183-1
Moisture Content	Avg. Moisture Content - 0.28%	**Pass**	EN 15534-1:2014
Flexural Properties	Span: 280mm Avg. Fmax: 3750N Min Fmax: 3684N Avg Deflection under 500N: 1.66mm Max Deflection under 500N: 1.77mm	**Pass**	EN 15534-4:2014

Brinell Hardness	Avg. 77N/mm2 Min. 73N/mm2	**Pass**	EN 15534-1:2014
Water Absorption	Density (kg/m3): 1320	**Pass**	EN 15534-1:2014

13. Declaration: The performance of the product identified in points 1, 2, 3 and 4 is in conformity with the declared performance in point 12. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 6.

Signed for and on behalf of the manufacturer by:

Name and Function: Thomas Raisbeck, Company Owner/Operations Director

Place of Issue: Paving Stones Direct UK Ltd
Turner Drive, Worksop, Nottinghamshire, S81 7AE

Date of Issue: 11/04/2024 - Thursday 11th April 2024

Signature: *T.Raisbeck*